Express Mail No.: EL 501 759 533 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Schwab et al.

Confirmation No.:

Application No.: U.S. Patent Application

09/830,972; national stage of PCT/US99/26160 filed November

5, 1999

Group Art Unit: 1647

Filed: May 2, 2001

Examiner:

To be assigned

For:

NUCLEOTIDE AND PROTEIN

SEQUENCES OF NOGO GENES AND

METHODS BASED THEREON

Attorney Docket No.: 10200-003-999

INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. § 1.56

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

In accordance with the duty of disclosure imposed by 37 C.F.R. § 1.56 and §1.97 to inform the Patent and Trademark Office of all references coming to the attention of each individual associated with the filing or prosecution of the subject application, which are or may be material to the patentability of any claim of the application, Attorneys for Applicants hereby direct the Examiner's attention to the references listed on the attached revised form PTO-1449 entitled "List of References Cited by Applicant." Legible copies of references AA-HL are submitted herewith. While not to be construed as indicating that the Examiner should not review and consider fully all the listed references, Attorneys for Applicant particularly direct the Examiner's attention to references AA, AB, AK, AJ, AH, AI, BM, BX, HI, and GN.

Applicants respectfully request that the Examiner review the listed references and that the references be made of record in the file history of the application.

Pursuant to 37 C.F.R. §1.97(b), since this information disclosure statement is being filed before the mailing date of a first Office Action on the merits, no fee is due in connection herewith. However, should the Patent Office determine otherwise, please charge the required fee to Pennie & Edmonds LLP deposit account no. 16-1150; a duplicate of this sheet is enclosed.

Respectfully submitted,

Date:

March 19, 2003

Adriane M. Antler

PENNIE & EDMONDS LLP

1155 Avenue of the Americas New York, N.Y. 10036-2711

(212) 790-9090

Express Mail No.: <u>EL 501 759 533 US</u>

LIST OF REFERENCES CITED BY APPLICANT	ATTY. DOCKET NO.	APPLICATION NO.	
(Use several sheets if necessary)	10200-003	09/830,972	
140 1 0 mm 2	APPLICANT:	To My S	1
MAR 1 9 2003 5	Schwab, Martin		S
TRADEMANT.	FILING DATE	GROUP CO	
G IRAUL	May 2, 2001	1647	

U.S. PATENT DOCUMENTS

*EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	AA	5,250,414	10/5/93	Schwab et al.			
	AB	5,684,133	11/4/97	Schwab et al.			
	AC	6,103,232	08/15/00	Schwab et al.		-	

FOREIGN PATENT DOCUMENTS

	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSI	LATION
AD	EP 046 523 A1	3/3/82	EP			YES	NO
AE	EP 155 433 A1	9/25/85	EP				
AF	EP 159 289 A1 —	10/23/85	EP				
AG	EP 233 838 A2	8/26/87	EP			-	
AH	WO 90/05191 —	5/17/90	PCT				
AI	WO 93/00427 —	1/7/93	PCT				
AJ	WO 98/06841 ~	2/19/98	PCT				
AK	WO 98/17687	4/30/98	PCT				
AL	WO 00/31235 .~	6/2/2000	PCT				

OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)

AM	Aguayo et al., 1978, Neurosci. Lett. 9: 97-104
AN	Almenoff and Orlowski, 1983, Biochem. 22:590-99
AO	Amberger et al., Experientia 47, A2
AP	Bandtlow et al., 1989, Experientia 45(Abstr.): A30
AQ	Bandtlow et al., 1996, Eur. J. Biochem. 241:468-475.
AR	Bandtlow et al., 1987, Soc. Neurosci. Abstr. 13:1616
AS	Bandtlow et al., 1993, Science 259: 80-83.
AT	Bandtlow et al., 1990, Experientia 46, A74.
AU	Bandtlow et al., 1991, Soc. Neurosci. Abstract Vol. 17, no. 2, page 1495, No. 598.11
AV	Barinage M., 1994, Science <u>264</u> : 772-774
AW	Bastmeyer et al., 1988, Eur. J. Neurosci., Suppl. 1: 207
AX	Bastmeyer et al., 1988, Soc. Neurosci. Abstr. 14: 452
AY	Benacerraf et al., in Textbook of Immunology (Williams & Wilkins, 1979), pp. 32
AZ	Benfey and Aguayo, 1982, Nature 296: 150-152
BA	Bjorklund and Stenevi, 1979, Physiolog. Rev. <u>59</u> : 62-100
BB	Boggust et al., 1978, Br. J. Cancer <u>38</u> (2): 329-334 —

				Sheet 2 of 5
	BC	Boggust et al., 197, hem. Abst. 90: 66525q	OPE	
	BD	Brecknell et al., 1996, Biol. Rev. 71:227-255.	18	
	BE	Bregman et al., 1995, Nature, Vol. 378, pp. 498-501.	MAR 1 9 2003 🛎	
	BF	Bregman, 1987, Dev. Brain Res. 34: 265-279	- SE	
	BG	Bregman et al., 1996, Soc. Neurosci., Vol. 22, part 1, p. 764.	THADEMAN A	
-	BH	Brochier, J. et al. 1995, Intl. J. ImmunoPharmacol., 17:41-48.		
	BI,	Brösamle et al., 1996, Society for Neuroscience Abstracts, volume	22, part 2, page 314, Abstrac	t 130.2
-	BJ,	Brösamle et al., 1998, Soc. Neurosci, Vol. 24, part 2, p. 1559.		900
	BK.	Brösamle C et al., 1999, Göttingen Neurobiol. Conference 2:833		CEIL
	BL.	Buffo A et al., 1999, Soc Neurosci 25(1) 1000 sec 402.1	Tro.	PUEN
	BM_	Cadelli DS, Bandtlow CE, Schwab M.E., 1992, Exp Neurol. 115(1)):189-92.	¥ 200
	BN.	Cadelli, D. and Schwab M.E., 1991, Europ. J. Neurosci. 3: 825-8	32.	130.2 PECEIVED PARTICIONA PROPERTIES
	BO-	Cadelli et al., 1991 Experientia 47, A2.		1600/20
	BP	Caputo et al., 1987, Biochem. Pharmacol. 36: 995-1002		
	BQc	Carbonetto et al., 1987, J. Neurosci. <u>7</u> : 610-620		-
	BR	Carlson et al., 1984, J. Cell Biochem. 8 Part B: 293		
	BS -	Caroni P, Schwab ME., 1988, Neuron 1(1):85-96.		*
	BT.	Caroni et al., 1988, Prog. Brain Res. 78:363-70		
	BU	Caroni et al., 1986, J. Cell Biol. <u>103</u> (5 Part 2): 470A		
	BV.	Caroni et al., in Progress in Brain Research, Vol. 78 (Gash et al, ed	s.; Elsevier 1988), pp. 363-3	70
	BW.	Caroni et al., 1988, Chem. Abst. <u>108</u> : 219574X		
	BX-	Caroni et al., 1988, J. Cell Biol. <u>106</u> : 1281-1288		
	BY.	Caroni and Schwab, 1987, Soc. Neurosci. Abstr. 13: 1040		
	BZ -	Caroni et al., 1985, Nature <u>314</u> : 441-443		-
	CA-	Caroni et al., 1988, Neuron 1: 85-96 ([Conference, March of])		
	CB	Caroni and Schwab, 1987, Experientia 43: P 654		ж.
	CC'	Caroni and Schwab, 1989, Dev. Biol. <u>136</u> : 287-295		
	CD/	Caroni et al., 1988, Europ. J. Neurosci., Suppl. 1: 103		
	CE-	Caroni et al., 1988, Soc. Neurosci. Abstr. <u>14</u> : 497		
	CF-	Caroni and Schwab, 1988, Experientia <u>44(Abstr.)</u> : A28	<u> </u>	
	CG-	Chen MS et al. 1998. Soc. For Neuroscience 24(2): 1766 sec 697.3		
	CH-	Chen MS et al. 1999. Soc Neurosci 25(1) 2030, Sec 806.3		
	CI-	Chen et al., 1984, J. Cell Biol. 98:1546-55		
	CJ~	Chen and Chen, 1987, Cell 48:193-203		
	CK-	Chen et al., 1994, Gottingen Neurobiology Conference, Vol. II. P.	905.	
-	CL-	Chen et al., 2000, Nature, Vol. 403, 27 pages 434-439		
	CM	Chiquet-Ehrismann et al., 1986, Cell <u>47</u> : 131-139	· · · · · · · · · · · · · · · · · · ·	
	CN.	Chiu et al., 1986, J. Cell Biol. <u>103</u> : 1383-1398		
	CO	€ Coleman et al., 1982, J. Cell Biol. <u>95</u> : 598-608		
		Commissiong, 1984, Neurosci. <u>12</u> : 839-853		
_	CO-	Cornbrooks et al., 1983, Proc. Natl. Acad. Sci. USA <u>80</u> : 3850-3854	<u> </u>	
		Couch and Strittmatter, 1983, Cell-32:257-65		
		Daniloff et al., 1986, J. Cell Biol. <u>103</u> : 929-945		
		Dutly and Schwab, 1989, Schweizer Archiv. Neurol. Psych. 140: 19	9-21	
		, , , ,		

01 4	\sim	_
Sheet	•	ΩŤ
Direct	_	O.

	Dutly et al., in Differentiation and Functions of Glial Cells: Proceedings—a Satellite Meeting of the International Society for Neurochemistry held in Rome, Italy, April 19-21, 1989 (G. Levi, ed.; Wiley-Liss, 1990), pp. 149-150
<u> </u>	CV Oyer, 1951, "An Index of Tumor Chemotherapy" pp. 69, National Cancer Institute, National Institutes of Health.
	CW Edelman, 1984, Exp. Cell Res. 161: 1-16
	CX Fischer et al., 1986, J. Neurosci. <u>6</u> : 605-612
	ONT Fame IV et al. 1000 Care Name and 05(1) 00(and 01.7)
	CZ Guenther et al., 1985, EMBO 4:1963-1966 MAR 1 9'2003 2
	DA Guenther et al., 1985, Chem. Abst. 103: 270640z
	7.4 FRAUE
	DB Hammerschlag et al., 1989, J. Neurochem. <u>52</u> : 268-273 DC Harris, W.J. et al. 1993. Trends Biotechnol. 11:42-44 DD Hawkins and Seeds, 1986, Brain Res. 398:63-70
<u> </u>	DD Hawkins and Seeds, 1986, Brain Res. 398:63-70
	DE Hird V. et al. 1990. In: Gene & Cancer, Eds. Carney D. & Sikora, K. pp. 183-189.
	DF Hood et al., in Immunology (The Benjamin/Cummings Publishing Company, Inc., 1978) pp. 214-219
	DG Huber A et al. 1999. Göttingen Neurobiol. Conference 2:834
	DH Huber et al. 1998. Soc. For Neuroscience 24(2): 1559 sec 616.6
	DI Huber AB et al. 1999. Soc Neurosci 25(1) 1263 Sec 505.2
	DJ Huber et al., 2000, Biological Chem. Vol. 381, pages 407-419.
	DK Huber et al., 1998, Europ. J. Neurosci Suppl. 10, p. 61.
	DL Johnson et al., 1986, J. Neurosci. <u>6</u> : 3031-3038
	DM Johnson et al., 1986, Cell <u>47</u> : 545-554
	DN Kapfhammer et al., 1992, J. Neurosci. 12: 2112-2119.
	DO Kapfhammer, J.P. and Schwab, M.E., 1994, J. Comp Neurol. 340:194-206.
	DP Kapfhammer J.P. and Schwab, M.E., 1992, Soc Neurosci. Abstract, Vol. 18, Part 1, 262.12.
	DQ Kato et al., 1982, Dev. Brain Res. 3: 645-651
	DR Keynes RJ, Cook GM. 1995. Curr Opin Neurobiol. 5(1):75-82.
	DS Kromer et al., 1980, Brain Res vol. 210, p. 153.
	DT Lieberman, et al. 1972. Intl. Review Neurobiology 14:49-124.
	DU Eiesi, 1985, EMBO 4: 2505-2511
	DV Liesi, 1985, EMBO 4: 1163-1170
	DW Lindner et al., 1986, Brain Res. 377: 298-304
	DX Mahdavi and Hynes, 1979, Biochim. Biophys. Acta 583:167-78
	DY Mason AJ, Pitts SL, Nikolics K, Szonyi E, Wilcox JN, Seeburg PH, Stewart TA., 1986, Science. 234(4782):1372-8.
	DZ Matrisian et al., 1986, Proc. Natl. Acad. Sci. USA 83:9314-17
	EA McConnell and Berry, 1982, Brain Res. 241: 362-365
	EB Metz et al., 1997, Soc. Neurosci., Vol. 23, part 1, p. 1196.
	EC Mignatti et al., 1986, Tumor invasion through the human amniotic membrane: requirement for a proteinase cascade, Cell 47:487-98
	ED Milstein, in Handbook of Experimental Immunology 4th ed. (Blackwell Scientific Publications, 1986) Chap. 107, pp:107.1-107.13
	EE Mirsky et al., 1986, J. Neurocytol. <u>15</u> : 799-815
	EF Monard et al., 1983, Prog. Brain Res. 58:359-64
	EG Mullins and Rohrlich, 1983, Biochim. Biophys. Acta 695:177-214
	EH Mundy and Strittmatter, 1985, Cell 40:645-56
	EI Nornes et al., 1983, Cell Tissue Res. <u>230</u> : 15-35
	EJ Osband ME. et al. 1990. Immunol. today 11:193-195.
	EK Paganetti et al., 1988, J. Cell Biol. 107: 2281-2291

	T ET	Sometimal School Color I Name of Sound 2 206	heet 4 of 5
		Pagnetti and Schwa 990, Europ. J. Neurosci. Suppl. 3, 206	
_	EM-	Pagnetti and Schwab, 1988, Europ. J. Neurosci., Suppl. 1, p. 240	
	EN/	Pagnetti and Schwab, 1989, Soc. Neurosci. Abstr. 15:507	
	EO	ragnetti and Schwab, 1969, J. Neuro-Oncology 7, Suppl., p. 24	
	EP	Pagnetti et al., 1989, Experentia 45, A30 Pittman, 1985, Dev. Biol. 110:91-101	
	EQ-	Pittman, 1985, Dev. Biol. 110:91-101	
	ER	Quigley, 1976, J. Cell Biol. 71:472-86	En
-	ES.	Rainetreau Q et al. 1999. Soc Neurosci 25(1) 2031, Sec 806.14	EIVED
,	ET 4	Readhead et al. 1987. Cell. 48(4):703-12.	1 20
	EU_	Readhead et al. 1987. Cell. 48(4):703-12. Richardson et al., 1984, J. Neurocytol. 13: 165-182 Sakazaki et al., 1983 Brain Res. 262: 125-135 Sanes, 1983, Ann. Rev. Physiol. 45: 581-600	- <003
	EV	Sakazaki et al., 1983 Brain Res. <u>262</u> : 125-135	600/2
	EW.	Sanes, 1983, Ann. Rev. Physiol. <u>45</u> : 581-600	000/290 0
	EX	Saneto et al., In Neurochemistry: a practical approach (Turner ed.; IRL Press, 1987) pp. 28-63	
•	EY	Savio and Schwab, 1989, J. Neurosci. <u>9</u> :1126-1133	
	EZ	Śavio and Schwab, 1988, Neurosci. Lett., Suppl. 33: S172	
	FA	Savio and Schwab, 1988, Experientia 44 (Abstr.): A27	
	FB	Savio and Schwab, 1988, Eur. J. Neurosci., Suppl. 1: 207	
	٠	Savio et al., 1989, Soc. Neurosci. Abstract 15: 317	
		Schmidt et al., 1991, Soc. Neurosci. Abstract Vol. 17, No. 372.7	
	,	Schnell L, and Schwab M.E. 1990. Nature. 343(6255):269-72.	
		Schnell L, and Schwab ME., 1993, Europ. J. Neurosci 5: 1156-1171	
		Schnell et al., 1994, Nature 367: 170-173.	
		Schwab and Caroni, 1986, Neurosci. Lett. 26:S19	
		Schwab, 1986, Experientia <u>42</u> : 632	-
	FJ	Schwab, 1991, T. Wiesel et al, eds., Vol. VII, pp. 49-50	
		Schwab and Caroni, 1986, Soc. Neurosci. 12:12	
	FL	Schwab and Thoenen, 1985, J. Neurosci. <u>5</u> : 2415-2423	
		Schwab, 1990, Ex. Neurol. 109:2-5	
		Schwab and Savio, 1988, Soc. Neurosci. Abstr. 14: 1200	-
		Schwab et al., 1987, Chem. Abst. <u>109</u> : 108200y	
	FP	Schwab, 1989, I.B.R.O. News 17: 7	
. i		Schwab, 1989, Neurosci Lett., Suppl. 36	
	- </td <td>Schwab, 1989, Experientia 45(Abstr.): A1</td> <td></td>	Schwab, 1989, Experientia 45(Abstr.): A1	
		Schwab et al., 1989, J. Neuro-Oncology 7(Suppl.): S26	
		Schwab et al., 1989, Soc. Neurosci. Abstr. 15: 1106	
-	1	Schwab et al., 1988, Psychopharmacol. <u>96</u> (Suppl.): 15	
		Schwab and Schnell, 1989, J. Neurocytol. 18: 161-169	
		Schwab, M., 1988, Publ. (88-30): 63	
		Schwab et al., 1984, Neurosci. Lett., Suppl. 18: S423	
		Schwab, 1985, Neurosci. Lett., Suppl. 22: S365	
		Schwab and Thoenen, in Experimental Brain Research, Suppl. 13: Process of Recovery From Neural Tra	uma
	_	International Symposium, Israel, June 1984 (Gilad et al., eds.; Springer-Verlag, 1986)	ullid,
		pp. 205-214	
		Schwab et al., 1988, J. Neurosci. <u>8</u> : 2381-2393	
	GB ∕	Schwab et al., 1987, J. Neurochem. <u>48(Suppl.)</u> : S17	

EXAMI	NER	DATE CONSIDER	ED			
	HL	Schwab et al. 1990, Soc. For Neurosci. Abstract, Vol. 16, 169.				
	HK	Zucker et al., 1985, J Natl Cancer Inst, 75:517-525.				
	HJ	Z'Graggen et al., 1997, Soc. Neurosci, Vol. 23 part 2, p. 1449.				
-/	HI	Z'Graggen WJ, Metz GA, Kartje GL, Thallmair M, Schwab ME. 1998. J No.	eurosci. 18(12):4744-57.			
	НН	Zagrebelsky et al., 1998, Soc. Neurosci., Vol. 24, part 2, page 1754.				
	HG	Wilhelm et al., 1987, Proc. Natl. Acad. Sci. USA 84:6725-29				
	HF	Westall et al., 1978, Proc. Natl. Acad. Sci. USA 75: 4675-4678				
*	HE	Weinberg and Spencer, 1979, Brain Res. 162: 273-279				
	HC HD	Weibel et al., 1994, Brain Res. 642: 259-266.				
	HB	Van der Haas et al., 1998, Europ. J. Neurosci. Suppl. 10, p. 61. Vanselow et al., 1988, Eur. J. Neurosci., Suppl. 1: 240				
	HA	Van der Haas ME, et al. 1998. Soc. For Neuroscience 24(2): 1559 sec 616.7				
6	GZ	Tuszynski et al., 1990, Neurosci Vol. 36, pp. 33-44.				
	GY	Turner et al., 1983, Dev. Brain Res. <u>6</u> : 77-83				
	GX	Tobey et al., 1985, Exp. Cell Res. <u>158</u> : 395-412				
_/		185	s, ed., Springer-verlag, 1902), pp. 175			
	GW	Thoenen et al., In Repair and Regeneration of the Nervous System (Nicholl	s ed : Springer-Verlag 1092) pp. 172			
	GU	Thallmair et al., 1997, Soc. Neurosci., Vol. 23, part 1, p. 609.				
	GT	Thallmair M et al. 1999. Göttingen Neurobiol. Conference 2:829	Thallmair et al. 1999. Soc Neurosci 25(1) 2029, Sec 806.2			
	GT	Thallmair M, Metz GA, Z'Graggen WJ, Raineteau O, Kartje GL, Schwab M	ME. 1998. Nat Neurosci. 1(2):124-31.			
	GR	Tessier-Lavigne M, Goodman CS. 1996. The molecular biology of axon gu				
_/	GQ	Tatagiba et al., 1998, Soc. Neurosci., Vol. 24, part 2, page 1559.	:d G-: 274/5000\ 1100 00			
	GP	Tatagiba et al., 1996, Fab. Soc. Neurosci, Vol. 22, p. 315.				
	GO	Stallcup et al., 1985, J. Neurosci. <u>5</u> : 1090-1101				
	GN	Spillmann et al., 1998, J. Biol. Chem. 273(30):19283-19293	TECH CENTER 1600/290			
	GM	Spillmann, et al., 1996 Soc. Neurosci., Vol. 22, part 1, p. 734.				
	GL	Spillmann et al., 1995, Soc. Neurosci., Vol. 21, part 2, p. 1560.	MAR 2 4 2003			
	GK	Spillmann et al., 1995, Protein Sci., Vol. 4, Suppl. 1, p. 90.	RECEIVED			
./	GJ	Spillmann et al., 1995, Experientia, Vol. 51, pp. A44.	DECENTER			
	GI	Spillmann et al., 1997 Exp. Neurosci. 9: 549-555				
• /	GH	Spillmann et al., 1995, NATO ASI Series H92: 23-28.	TRADEMANT.			
	GG	Sonnenfeld and Ishii, 1982, J. Neurosci. Res. 8: 375-391	\			
	GF	So and Aguayo, 1985, Brain Res. 328: 349-354	MAR 1 9 2003			
	GE	Schwartz and Spirman, 1982, Proc. Natl. Acad. Sci. USA 79: 6080-6083	0			
<u> </u>	GD	Schwartz, 1987, CRC Crit. Rev. Biochem. 22: 89-110	IPE			
	GC					

through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.